

4051 / 4045 / 4035 / 4025







Advanced made simple for you.

SIMPLICITY, ADVANCED. THE NEW imagerunner advance 4000 series.

The imageRUNNER ADVANCE 4000 series is designed to simplify your document communication. Whether it is black and white print or full color scanning, you can rely on its trademark Canon efficiency.

Behind this simplicity is a whole range of innovative technologies. From seamless integration with your infrastructure to the new world of cloud computing, the imageRUNNER ADVANCE 4000 series brings you advanced productivity in a single multifunctional device.





imagerunner advance NEW HEIGHTS TECHNOLOGY REACHES NEW HEIGHTS

Cloud computing is gaining acceptance with more and more companies across the globe. Businesses today look to Cloud computing for on-demand scalability. Costly infrastructure, setups and administrative burden are a thing of the past with proper implementation of Cloud Computing technology.

Canon's imageRUNNER ADVANCE maximizes office productivity by allowing users to access Cloud services right from imageRUNNER ADVANCE devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service.

Scan-to-Cloud and Print-from-Cloud is simple with Canon's imageRUNNER ADVANCE - all that is needed is an imageRUNNER ADVANCE multifunctional device (MFD); no drivers, additional software or personal computers are required. With the Cloud Scan and Cloud Print support of Google™ Docs and Microsoft™ SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.



ADVANCEI

USABILITY AND CONVENIENCE

Meet the multifunctional device that is optimized for convenience and speed - your way.



8.4" screen

Intuitive User Interface

The new imageRUNNER ADVANCED 4000 interface provides you with a more pleasant navigation experience on an 8.4" full color, highresolution TFT touchscreen.



Configurable Quick Menu

Complex, frequently used settings can be easily configured to run at the touch of a button. This streamlines every individual's workflow and increases productivity by letting you accomplish more in less time.



Plug and Print Capability

With standard USB input and optional media connectivity options such as Secure Digital (SD) or CompactFlash (CF) Cards, you can walk up to any imageRUNNER ADVANCE 4000 series with your thumbdrive or memory card to scan and print on the spot.



Innovative Toner System

To maintain the ongoing productivity of your business, the imageRUNNER ADVANCE 4000 series features a toner system that can be replaced - even when your device is delivering printouts.

ADVANCED



ADVANCED imageCHIP System Architecture

To meet and exceed the demands of today's businesses, Canon has developed a dual processor system. The image processor board works with the scanner, adjusts images, and ensures superior image quality and ultra-fast processing. The information processor board controls user interface and coordinates device networking and connectivity. The result is higher quality printouts with lesser wait.

PRINT QUALITY

Quality prints that truly shine.

Genuine Adobe Postscript 3

The imageRUNNER ADVANCE 4000 series supports Genuine Adobe PostScript 3 printing capability, enabling you to deliver the desired output quality without worrying about font compatibility. True PostScript capability also means seamless collaboration with PostScript workflows for faster and higher quality prints. You will also enjoy direct PDF printing and full support of Adobe fonts.





High Resolution Brilliant Printouts

Combine the E-drum technology and QF Toner, which utilizes less heat and energy, and you will get sharp, vivid printouts at high speed with better image consistency. Enhance it with an intelligent controller, and the imageRUNNER ADVANCE 4000 brings you the crispest black and white printouts.



Professional Looking Documents

With Canon's optional accessories, it is easy to impress and inspire with professional-grade reports and presentations. Simply select the settings you want, ranging from automatic stapling, punching, collating and even booklet creation functions. For a compact footprint, internal stapling and collating units are also available as options.

High Speed Scanning

Using the optional document feeder, you can archive your documents and create up to 100 crystal-clear reproductions of black & white and color documents each time you press the button. What's more, at a speed of 51ipm in black & white or color, you no longer need to spend as much time waiting at the device.

High Paper Capacity

High print count operations will benefit from the high capacity of an optional Paper Deck Unit. Paper Deck-B2 adds an additional 2,700 sheets of A4 that translates to lesser time spent on paper loading and longer uptime for critical print jobs.


4-Line Fax

The imageRUNNER ADVANCE 4000 series supports optional Super G3 fax functionality for high-speed fax transmissions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by consolidating multiple fax devices into one shared device.

Remote Fax Collaboration



With the optional Remote Fax Kit, you can also fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed. This means significant cost-savings and convenience.



Remote Fax Kit installed device

Fax-enabled device



A healthy document workflow means a healthy business. With imageRUNNER ADVANCE 4000 series, you will find the most advanced, yet simple workflow.




Scan and Send

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats include standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF and XPS.

Advanced Box

Canon's new built-in document sharing solution simply makes sense. Multiple users can collaborate easily on a shared folder and access files from PCs or other networked imageRUNNER ADVANCE systems. Personal folders are also available for more sensitive documents. What's more, you can also preview the documents before printing them.





iW Function Flow

iW Function Flow is an imageRUNNER ADVANCE series core MEAP application that can transform time-consuming, multiple step tasks into simple workflows for each user. Scanning, e-mailing, faxing, and archiving can be done in one operation, all from a single button on the device control panel.



MEAP Connectors

MEAP Connectors bridge your Canon imageRUNNER ADVANCE and enable communication with external storage or document management systems. The software development kit (MEAP SDK) also enables third party vendors to develop systems based on your requirements. You can even create workflow tasks using the MEAP Connector with the PC-based Function Flow Editor tool.



ADVANCED MANAGEMENT

The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.

Centralized Remote Control

Using the Remote User Interface, your IT managers and system administrators will be able to control and manage output devices without having to travel to each machine to check machines or update their status.

eMaintenance

Canon's unique eMaintenance allows intelligent remote administration of your imageRUNNER ADVANCE device. Remote meter readings provides real-time tracking, while the automatic fault reporting and consumables tracking instantly alerts Canon Customer Care for proactive actions such as accurate device maintenance or toner replenishment. In short, eMaintenance provides you with more up-time, convenience and greater productivity.

* eMaintenance works with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.

ADVANCED SECURITY

Safeguard your business' sensitive documents without compromising on quality or speed.

Removable HDD Option enables hard disk drive to be removed and placed in a secure location when not in use.

Access Management System allows restriction of various features of copy, print, fax, scan, Mail Box by user, group or job function. You can even limit access for specific functions such as copying.

iEEE2600 Standard Conformity meets the industry requirements for hardcopy security in medical, finance, and other office environments.

HDD Encryption and Erase encrypts information before it is written to the hard drive, and permanently removes it by overwriting when the job is complete.

Document Scan Lock embeds hidden tracking information in a document to restrict unauthorized copying or scanning, and track the origin.

Department ID restricts machine usage to those users with a valid ID and password.

Card Authentication controls access of devices in the office to authorized users with the use of optional ID cards.

HI internal has by

Canon's imageRUNNER ADVANCE 4000 series is more than a black and white multifunctional device - it represents an integral innovation that is made for the heart of your business communication.

Туре	Desktop	
Maximum Original Size	A3	
Copy Sizes	Cassette 1	B4, A4, A4R, B5, B5R, and A5R
	Cassette 2	A3, B4, A4, A4R, B5, B5R, A5R, and Custom size (139.7 mm x 182 mm to 297 mm x 431.8 mm) With installation of Envelope Feeder Attachment, envelopes can be used in cassette 2
	Multi Purpose Tray	A3, B4, A4, A4R, B5, B5R, A5R, Custom size (99 mm x 148 mm to 297 mm x 431.8 mm), and Envelopes
Resolution	Reading	600 dpi x 600 dpi
	Copying	1200 x 600 dpi (Interpolated)
	Printing	1200 dpi x 1200 dpi (Text/Line only)
Copy/Print Speed	A4	4051: 51 ppm / 4045: 45 ppm / 4035: 35 ppm / 4025: 25 ppm
	A3	4051: 25 ppm / 4045: 22 ppm / 4035: 22 ppm / 4025: 15 ppm
Magnification	Copy Ratio	25-400%
First Copy Time	4051:3.7 seconds or less 4045/4035: 3.8 seconds or less 4025: 5.2 seconds or less	
Warm-Up Time	38 second or less	
Multiple Copies/Prints	1 to 999 copies	
Paper Weight	Cassette	60 to 128 qsm
,	Stack Bypass	52 to 220 gsm
Paper Capacity	Cassette 1, 2	550 sheets x 2 cassettes (80 qsm)
p -: copucity	Cassette 3, 4 (Optional)	550 sheets x 2 cassettes (80 gsm)
	Multi Purpose Tray	80 sheets (80 qsm)
	Paper Deck	2,700 sheets (80 gsm)
CPU	1.2GHz	Ly, oo sheed (oo gain)
Memory	Standard: 1.256 GB RAM / Maximum: 1.768 GB RAM	
Hard Disk Drive	Standard: 80 GB / Maximum: 250 GB	
Interface	Ethernet (1000BaseT/100Base-TX/10Base-T) Wireless LAN (IEEE802.11b/g, Optional), USB 2.0	
Power Supply	220-240V AC, 50/60Hz	
Power Consumption	1.5kW or less	
Toner (Estimated Yield @ 6% Coverage)	Black-and-White	4051/4045: 34,200 4035/4025: 30,200
Drum Yield	Black-and-White	4051: 176,000 / 4045: 168,000 4035: 141,000 / 4025: 135,000
Dimensions (H x W x D)	902 mm x 565 mm x 3	708 mm (Including the DADF-AG1)
Weight	Approximately 77.9 kg	(Including the DADF-AG1)
Print Specification		
PDL	UFRII (Standard), PCL5e/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200 dpi x 1200 dpi (Text/line only)	
Memory	Standard: 1.256 GB RAM / Maximum: 1.768 GB RAM	
Hard Disk	Standard: 80 GB / Maximum: 250 GB	
CPU	Canon Custom Processor, 1.2GHz (Uses Main Unit CPU)	
PS Fonts	Roman 136	
PCL Fonts	Roman93, Bitmap10, OCR2	
Supported OS	PCL	Windows 2000/XP/Server2003/Vista/Server2008/Win7
	Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7,
LIED II	141' 1 2000 0'D'C	Mac OSX (10.4.9 or later)
UFR II	Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)	
Mac-PPD	Mac OS 9.1 or later, Mac OSX (10.2.8 or later)	
Interface	Ethernet (1000BaseT/100Base-TX/10Base-T) Wireless LAN (IEEE802.11b/g, Optional), USB 2.0	
Network Protocol	TCP/IP (LPD/Port9100/WSD/IPP/IPPS/SMB/FTP), IPv6, IPX/SPX (NDS, Bindery), AppleTalk	
Pull Scan Send Specification (St		(75 to 600 dpi 24bit color/8bit grayscale/2bit Black & White)
		E1 inco
Scan Resolution	Black & White / Color: 51 ipm 100 x 100 dpj, 150 x 150 dpj, 200 x 100 dpj, 200 x 200 dpj, 200 x 400 dpj, 300 x 300 dpj, 400 x 400 dpj, 600 x 600 dpj Additional memory upgrade is required for 200 x 400 dpj, 400 x 400 dpj or 600 x 600 dpj scanning.	
Destinations	Email/Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV	
Address Book	LDAP, Local (Max. 1800)	
File Format	TIFF, JPEG, PDF, XPS, High Compression PDF/XPS, PDF/A-1b, Optimize PDF for Web	
Optional Accessories	IIII, JPEU, PDF, APS, FI	gir compression ruri Ars, ruri Ar Tu, Opunize rur 101 Web
	ced Feature Set-E1	
		month) Searchable DDE/VDS Deader Extensions DDE
File Format Universal Send Securi	Outline PDF (Trace & S	mooth), Searchable PDF/XPS, Reader Extensions PDF



Cassette Feeding Unit-AF1





To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.

Managed Document iR ADVANCE Features Cloud Computing

cassette i ceaning only				
Paper Size	A3, B4, A4, A4R, B5, B5R, A5R, and Custom size			
	(139.7 mm x 182 mm to 297 mm x 431.8 mm)			
Paper Capacity	550 sheets x 2 cassettes (80 gsm)			
Dimensions (H x W x D)	248 mm x 565 mm x			
Weight	Approximately 27.5 kg			
Duplex Automatic Do				
Paper Size	A3, B4, A4, A4R, A5, A5R, B5, B5R, or B6			
Paper Weight	Weight: Black and White Original: 1-sided scanning: 42 to 128 gsm / 2-sided scanning: 50 to 128 gsm Color Original: 64 to 128 gsm			
Max. Number of Originals	100 sheets (80 gsm)			
Scanning Speed (Max)	Copying (A4 in Black-and-White at 600 dpi): 1-sided scanning: 4051: 51 ppm, 4045: 45 ppm, 4035: 35 ppm, 4025: 25 ppm 2-sided scanning: 4051/4045/4035: 17 ppm, 4025: 15 ppm			
	Scanning (A4 in Black-and-White at 600 dpi or A4 in Black-and-White/Full Color at 300 dpi): 1-sided scanning: S1 ppm 2-sided scanning: 4051/4045/4035: 17 ppm, 4025: 15 ppm			
Dimensions (H x W x D)	140 mm x 565 mm x 540 mm			
Weight	Approximately 7.9 kg			
Staple Finisher / Book	det Finisher-G1			
Number of Tray	2 Trays			
Paper Size	A3, B4, A4, A4R, B5, B5R, A5R, and Envelopes			
Paper Weight	52 to 220 gsm			
Tray Capacity	No Collating Mode	Upper Tray: A4, A5R 1300 sheets / A3, A4R 650 sheets		
		Lower Tray: A4, A5R 1,700 sheets / A3, A4R 650 sheets		
	Collate, Group Mode	Upper Tray: A4 1,300 sheets / A3, A4R 650 sheets		
		Lower Tray: A4 1,700 sheets / A3, A4R 650 sheets		
	Staple Mode	Upper Tray: A4 1,300 sheets/30 sets / A3, A4R 650 sheets/30 sets		
		Lower Tray: A4 1,700 sheets/30 sets / A3, A4R 650 sheets/30 sets		
Staple Capacity	A4: 50 sheets (80 gsm) / A3, A4R: 25 sheets (80 gsm)			
Saddle Stitch (For Booklet Finisher -G1 only)	A3 and A4R: 16 sheets (52 to 81 g/m²) / 10 sheets (82 to 105 g/m²)			
	Paper Size	A3, A4R		
	Staple Capacity	16 sheets (80 qsm)		
Staple Position	Staple Finisher	Corner, Double		
	Booklet Finisher	Corner, Double, Saddle Stitch		
Dimensions (H x W x D)		Staple Finisher-G1: 1,097 mm x 648 mm x 646 mm (when the auxiliary tray is extended)		
Dimensions (H x W x D)	1,097 mm x 648 mm	x 646 mm (when the auxiliary tray is extended)		
	1,097 mm x 648 mm Booklet Finisher-G1: 1,097 mm x 766 mm	x 646 mm (when the auxiliary tray is extended)		
Dimensions (H x W x D) Weight Other Optional Access	1,097 mm x 648 mm Booklet Finisher-G1: 1,097 mm x 766 mm Staple Finisher: Approx			

Other Optional Accessories

Platen Cover Type R, IR-ADV series Pedestal B, Paper Deck Unit-B2 A4, Envelope Feeder Attachment-D1, Inner 2 Way Tray-H1, Inner Finisher-D1, Inner 2 hole Puncher-A1, Inner Finisher Additional Tray-A1, Buffer Pass Unit-H1, External 2 Hole Puncher-B2, Utility Tray-A2, Copy Card Reader-F1, Copy Card Reader Attachment-B3, Copy Card Reader Attachment-B3, Copy Card Reader Attachment-B3, Copy Card Reader-B1, Copy Card Reader Attachment-B3, Copy Card Reader-B1, Stamp Ink Cartridge-D1, Staple Cartridge-D2, Staple Cartridge-D3, Cassette Heater Unit-32 200V, Paper Deck Heater Unit-52, Reader Heater-H1 200V, Heater Kit-K1 200V, Drum Heater-C1, PCL Printer Kit-AN1, PCL Font Set-A1 EFIGS, Barcode Printing Kit-D1, P5 Printer Kit-AN1, Direct Print Kit (For PDF)-H1, Direct Print Kit (For XPS)-H1, Super G3 Fax Board-AK1 A5, Super G3 2nd Line Fax Board-AK1 A5, Super G3 3nd Line Fax Board-AK1 A5, Super G3 And Line Fa Kit-B1, ADF Access Handle-A1, Voice Operation Kit-C2, Voice Guidance-F2

To arrange for a demonstration, simply contact any of our offices below.

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632
Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Arghanistan: Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 Fax: 93-202 201 259 Email: info@megaplus.com.af

Bangladesh:

Bangladesh: Flora Limited Adamjee Court Annex-2 (4th Floor) 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 Fax: 880-2-955-0030 www.floralimited.com

Brunei: Interhouse Company No. 5-7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel: 673-2-653-001 Fax: 673-2-653-003

Cambodia: Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tei: 855-23-428955 Fax: 855-23-722961

Hong Kong: Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax: 852-2369-3800 www.canon.com.hk

India: Canon India Private Limited 7th Floor, Tower B, Building #5 DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002 Haryana, India Tel: 91-124-416 0000 Fax: 91-124-416 0011 www.canon.co.in

PT Samafitro
Jalan Ir. H Juanda No.8
Jakarta 10120, Indonesia
Tel: 62-21-345 8989
Fax: 62-21-345 6699
www.samafitro.co.id

Malaysia: Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square Saujana Resort Section U2, 40150 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 Fax: 60-3-7844 6196 / 6198

Maldives: Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd #06-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus, Hlaing Township, Yangon, Myanmar. Tel: 95-1-654810 to 17 Fax: 95-1-654820 Email: sales@mgr.com.mm

Nepal: International Electronics Concern (P) Ltd Kha 14, 1** Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: 977-1-442 1991 Fax: 977-1-442 1909

Pakistan:
Shirazi Trading Company (Pvt.) Ltd
8th Floor, Adamjee House
I. Chundrijagr Road
Karachi 74000 Pakistan
Tel: 92-21-3241 (7659), (7737) or (7746)
Fax: 92-21-32417747), (3242 0417) or
(3242 0418) www.shirazitrading.com.pk

Philippines:
Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza.
Campus Ave. Cor. Park Ave., McKinley Hill
Fort Bonifacio, Taguig City
Tel: 632-884-9000
Fax: 632-556-1456

Sri Lanka: Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08 Sri Lanka Tel: 94-11-470 0200 Fax: 94-11-470 0267

Taiwan: Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +886 2-6632-8888 Fax: +886-2-6632-6700 www.canon.com.tw

Smart ...

genuine

Thailand:

Thailand:
Canon Marketing (Thailand) Co. Ltd
No.98 Sathom Square Office Tower,
21*- 24** floor,
North Sathorn Road,
Silom, Bangrak,
Bangkok 10500
Tel: 66-2-344 9999
Fax: 66-2-344 99960

Vietnam:

Vietnam: Canon Marketing (Vietnam) Co. Ltd Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: 84-8-3820 0466 Fax: 84-8-3820 0477 www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners. uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.