





*

ADVANCED MADE SIMPLE FOR YOU



ADVANCE YOUR BUSINESS PERFORMANCE

The imageRUNNER ADVANCE C3300 series is a full-colour A3 multifunctional device with advanced print, copy, scan and fax capabilities designed with your enterprise in mind. Impress your clients with vivid, vibrant, high quality prints, and boost your workgroup productivity through high print speed and seamless connectivity.

This new series brings you greater convenience and usability through new innovations. You will find walkthrough videos, paper size detection and multitasking features. Other touches include Reminder LED and a redesigned paper cassette tray for better ergonomics. There is even an option for Staple-on-Demand, and the ability to print documents with ECO-Staple binding.

If you are looking for a simple way to advance your business performance – you will find it in the imageRUNNER ADVANCE C3300 series.

ADVANCED USABILITY AND CONVENIENCE

effortless operation through greater convenience

INTUITIVE CONTROL CONSOLE

TFT SCREEN

imageRUNNER ADVANCE C3300 series comes with a full coloured 7" WVGA touch panel that is very easy to use. The vari-angle screen allows your staff greater accessibility from a variety of angles. You can also customise functions into shortcuts on the menu bar.



CONFIGURABLE QUICK MENU

The configurable Quick Menu lets you run complex, multi-step tasks with the touch of a single button. Frequently used destinations and function settings can also be registered and re-used easily.

READY FOR PRODUCTIVITY

The imageRUNNER ADVANCE C3300 series switches from energy-saving Sleep Mode to full powered productivity in an instant. Simply place your document on the automatic document feeder or multipurpose tray and the device is ready to go.



EASY RELOADING AND REPLACEMENT

Enjoy greater uptime with consumables replacement walkthrough videos which are shown upon low consumables notification (e.g. toner replacement). Users can easily understand the steps needed, reducing time and effort required.

In addition, the redesigned paper cassette tray takes just one step for withdrawal. It even features a soft closing mechanism for greater durability and user experience.



C3330

CONVENIENT PRINT AND SECURITY

The imageRUNNER ADVANCE C3300 series comes with standard USB ports that allow you to print directly from or scan and store to your USB Memory media. You may also choose to install the optional ID Card Reader for easy and secure authentication.

* Optional Direct Print Kit or Adobe[®] PostScript[®] 3[™] is required to print PDF. USB Device Port required for installation of optional ID Card Reader.

REMOTE OPERATION SOFTWARE

Take full control of your device functions remotely from the convenience of your desk without any optional accessory. Available on Windows based PCs, you can use the on-screen operation panel emulation to operate the imageRUNNER ADVANCE device. This is particularly useful for network administrators and users with accessibility needs.

ADVANCED PRINT QUALITY



print performance that shows

VIVID AND VIBRANT COLOUR PRINTS V2COLOUR

The imageRUNNER ADVANCE C3300 series employs newly developed combination of density fine adjustment, automatic gradient control and colour range control to give you vivid, vibrant images.



With Adobe® PostScript[®] 3[™]

RELIABLE PRINT PERFORMANCE

Canon's UFR II print technology employs load balancing to enhance the speed and performance of print jobs. PCL 5c/6 and Adobe® PostScript® 3™ are also available as options. Genuine Adobe® PostScript® 3™ enables crisp output quality without worrying about font compatibility. With this capability, you will also have smoother print workflows, direct PDF print and full support for Adobe fonts.

ADVANCED PRODUCTIVITY

work efficiency that is simply enterprising

CONCURRENT TASKS CAPABILITY

The imageRUNNER ADVANCE C3300 series is not only multifunctional – it is also a multi-tasker. Users can perform various tasks at the same time, such as scanning when another user is printing, even before the device finishes sending e-documents.

SUPER G3 FAX FUNCTIONALITY

Upgrade with the Super G3 fax option to add high-speed, reliable fax functions on your imageRUNNER ADVANCE C3300 series. Users can preview fax content before printing or sending, saving precious time and paper. You can also enable automatic forwarding based on specific conditions to transmit to any destination.

For organisations with existing fax-enabled imageRUNNER ADVANCE systems within the network, you can leverage the fax function with the economical Remote Fax Kit to realise greater cost savings.



The optional Inner Finisher adds a 50-sheet stapling capability without adding to the device's compact footprint. Enjoy added convenience with the Staple-on-Demand feature where users can re-staple documents on the spot after scan or copy tasks. Users can bind print or copy documents with the ECO-Staple, which is environmentally friendly and hassle-free.

INTELLIGENT MULTIPURPOSE TRAY

Place documents of any size on the multipurpose tray and it will automatically detect the relevant paper sizing, saving time, paper resource and effort.

ADVANCED WORKFLOW

optimizing the way you work

ADVANCE INNOVATED SERVICE OPERATION

As part of our service evolution, Canon is moving to the next phase of advanced service standards. This initiative is known as Advance Innovated Service Operation (AISO). From the design of the device to process optimisation and day-to-day operational concerns, we have improved every aspect to help you save cost, time, and resources.

One of these key drivers is eMaintenance - a simple yet powerful service that eases your administrative burdens dramatically. You can automate your fleet maintenance tasks, improve consumables management, and gain better control of all your networked Canon printing devices.

With the remote operation software, users' issues can be resolved in a timely, accurate and effective manner — even before we step into your office.

UNIVERSAL SEND

Simplify your document workflow with Canon's proprietary Universal Send technology, which enables you to scan and disseminate documents to a multitude of destinations concurrently in a single operation. This reduces repetitive work when

sending the same document to different destinations.



MAILBOX SIMPLE

The imageRUNNER ADVANCE C3300 series comes with an in-built Mailbox Simple that allows storage on the device itself. Users can scan and store files directly, or retrieve stored data for printing.

ADVANCED BOX COLLABORATION

When acting as a client device, the imageRUNNER ADVANCE C3300 series can save, preview, rename, or print files stored in the Advanced Box of higher-end imageRUNNER ADVANCE devices* within the same network. Alternatively, you can access files on a shared folder through a PC. For confidential documents, encrypted personal folders can be created.

* Requires connection to imageRUNNER ADVANCE with in-built Advanced Box function.





Send or retrieve files through your imageRUNNER ADVANCE C3300 series when connected to the same network with higher-end imageRUNNER ADVANCE models with the Advanced Box feature.



MOBILE PRINTING AND SCANNING

For users on the go, the versatile imageRUNNER ADVANCE C3300 series provides simple mobile print functionality from their device with the Canon Mobile Printing. It supports a wide variety of formats including image, photo, PDF files and web pages. Mobile users can also use the Canon Mobile Scanning for Business to scan and save data on their mobile devices, upload it to cloud storage services and send it as e-mail attachments to themselves.

* Canon Mobile Printing, Canon Mobile Scanning applications and Canon Print Service (Android-only plug-in) can be downloaded on Apple or Android devices.



ADVANCED SOLUTIONS

solutions for today's business challenges



UNIVERSAL LOGIN MANAGER

Easy to implement and use, this is a server-less solution that provides users with a personalised login experience. IT administrators will find that the Universal Login Manager is a useful tracking tool to access print and copy usage. It can also be upgraded to uniFLOW for more advanced features.

W SECURE AUDIT MANAGER EXPRESS

Oversee and safeguard the distribution of your organisation's documents. Protect against potential espionage by logging text and image data with this real-time security solution.

MEAP PLATFORM

Manage your workflow easily and effectively with Canon's Multifunctional Embedded Application Platform (MEAP) designed to offer greater flexibility and adaptability to meet your individual needs. Pair your imageRUNNER ADVANCE C3300 series with a selection of software solutions compatible with MEAP to bring your business to the next level.



iW Desktop is a powerful PC-based solution designed with efficiency in mind. The software's live view shows you exactly what will be published, while the intuitive controls allow you to perform essential tasks with complete ease. It fully supports your organisation's document cycle from gathering information to publishing and storage, with each step flowing into the next effortlessly.

- Efficiently notifies fax reception and sends fax documents.
- Enables integrated management by editing and processing various electronic and paper documents.
- Reduces costs of document outputs.
- Implements seamless digitisation of documents with familiar operations.
- Achieves an approval flow with electronic documents easily.
- Enables sharing and central management of office documents.

uniFLOW



ENTERPRISE DOCUMENT MANAGEMENT SOLUTIONS

Complement your imageRUNNER ADVANCE C3300 series with various enterprise document and output solutions to realise the full potential of your fleet. Here are some notable highlights.





THEREFORE

Therefore[™] is a premium information management system for enterprises created to manage all types of information. It allows you to capture, organise and secure access to important information for all your users. End users and administrator alike will appreciate the intuitive user interface, flexible workflow annotations, electronic signatures, easy integration and a high powered search engine.

eCOPY SHARESCAN

Digitise your paper-based data into electronic workflows with this comprehensive suite. Scan, extract, classify, index and convert from the multifunctional device and send directly to selected electronic destinations.

Save time and money for your organisation's with this smart output management solution that provides effective control over your entire fleet. With its modular design, uniFLOW can be customised to fit the unique needs of your organisation. uniFLOW offers an array of benefits from full accounting and reporting, follow me printing, job routing to cost management and even document capture.



ADVANCED SECURITY AND MANAGEMENT

device and software security solutions that protect your business

DEVICE SECURITY

Designed to enhance the security level of your imageRUNNER ADVANCE C3300 series, device authentication system are in place to manage users access through User Authentication or the optional Universal Login Manager. You can perform more detailed user management such as limiting the functions available for each user. In addition, users can register both characters or numeric IDs and passwords, allowing greater personalisation.

If you are looking for a holistic security and cost-saving measure, the optional Access Management System is your answer. This system allows you to configure each user's access rights on a per feature basis to prevent unauthorised distribution and information leakage.

DATA SECURITY

The imageRUNNER ADVANCE C3300 series offers HDD Data Erase as a standard feature, enabling a safer automatic removal of sensitive data upon job completion. To enhance the level of security of your stored data in the hard disk, invest in the additional HDD Data Encryption Kit that automatically encrypts all stored data and saves the encryption keys separately from the data.

ADVANCED RESPONSIBILITY

Doing more for our environment



DOCUMENT SECURITY

The security of your confidential documents should never be overlooked. For added protection, Encrypted Print Software is available as an option. This encrypts the print data not only during transmission, but also while it is residing within the print queue. Users are required to authenticate themselves in order to decrypt and print the file at the device.

The feeder tray is partially transparent, allowing users to see uncollected documents. As an added precaution, the Reminder LED illuminates during operation and blinks on job completion. This provides

a visual reminder to collect documents and help prevent information leak.



MANAGED DOCUMENT SERVICES

Canon offers a unified consultancy service for holistic document solution management. Our experienced consultants employ proven methodology to help you reduce cost, improve serviceability, and optimise business processes.

ENVIRONMENTALLY RESPONSIBLE

Every imageRUNNER ADVANCE is partially built from recycled plastics and bioplastics, and subject to strict environmental standards.

IT'S TIME TO SAVE

Setting an automatic power down schedule for devices based on actual usage helps save energy especially after office hours and non-work days.

LOWER TOTAL ELECTRICITY CONSUMPTION

imageRUNNER ADVANCE devices consume less electricity. Doing this not only saves on the energy bills, it reduces CO² emissions that damage our environment.

SETTING THE RIGHT TONE

Our new Insulated & Air Pressure (IAP) toner bottle uses less material compared to previous designs, therefore reducing wastage.

Туре	Colour Lasor Multifue	rtional Device (Reader / Brinter Deckton)	
	Colour Laser Multifunctional Device (Reader / Printer Desktop)		
Maximum Original Size	A3	AU DE AE Custom dies (130 Zu 102 som to 20Zu 21E 0 som)	
Paper Sizes	Cassette 1	A4, B5, A5, Custom size (139.7 x 182 mm to 297 x 215.9 mm)	
	Cassette 2	A3, B4, A4, A4R, B5, B5R, A5R, FLS, F4A and Custom size	
	200000000000000000000000000000000000000	(139.7 mm x 182 mm to 304.8 mm x 457.2 mm) and	
	N N D T	Envelopes (COM10 No.10, Monarch, DL)	
	Multi Purpose Tray	A3, B4, A4, A4R, B5, B5R, A5, A5R, FLS, F4A Custom size	
		(98.4 mm x 139.7 mm to 320 mm x 457.2 mm) and	
		Envelopes (COM10 No.10, Monarch, DL, ISO-C5)	
Resolution	Scan	600 x 600 dpi	
	Сору	600 x 600 dpi	
	Print	1200 x 1200 dpi	
Copy / Print Speed	A4	C3320: 20/20 ppm C3325: 25/25 ppm C3330: 30/30 ppm	
	A3	C3320: 15/15 ppm C3325: 15/15 ppm C3330: 15/15 ppm	
First Copy Time	Full Colour	8.2 seconds	
	Monochrome	5.9 seconds	
Warm-Up Time	From Power On	34 seconds or less	
	w/o Quick Startup		
	From Power On	10 seconds or less	
	w/Quick Startup		
Multiple Copies / Prints	1 to 999 copies		
Magnification	Copy Ratio	25 - 400%	
Paper Weight	Cassette	52 to 220 gsm	
raper weight			
	Multi Purpose Tray	52 to 256 gsm	
Paper Capacity	Cassette 1, 2	550 sheets x 2 cassettes (80 gsm)	
	Multi Purpose Tray	100 sheets (80 gsm)	
CPU	1.66GHz		
Memory	2 GB RAM		
Hard Disk Drive	250 GB		
Interface	Network	Ethernet 10Base-T / 100Base-TX / 1000Base-T (RJ-45)	
	Others	USB 2.0 x 2 (Host), USB 2.0 (Device)	
Power Supply	220-240V AC, 50/60	Hz, 4.0A	
Power Consumption	Max.	1.5kW or less	
	Sleep Mode	0.8W or less	
	Black: 36,000	0.000 01 (255	
		10,000	
(A4, 5% coverage)	Yellow / Magenta / Cy		
Drum Yield	Black	C3320: 69,000 C3325: 78,000 C3330: 84,000	
	Colour - Y, M, C	C3320: 54,000 C3325: 61,000 C3330: 66,000	
Dimensions (H x W x D)	1,129 mm x 565 mm × 693 mm (when the DADF-AQ1 and CFU-AL1 is attached)		
Weight	Approximately 63.2 kg		
Installation Space (W x D)		when the DADF-AQ1 is attached and the multi-purpose tray is extended	
Print Specifications	0041111120000111111(0	men are babi agris dadened and are mala purpose ady is extended	
PDI	LIER III (Standard), DCI Ec/6 (Optional), Adobe PactScript 7 (Optional)		
	UFR II (Standard), PCL5c/6 (Optional), Adobe PostScript 3 (Optional)		
Resolution			
Supported OS	PCL	Windows XP, Windows Vista, Windows 7, Windows 8,	
		Windows 8.1, Windows Server 2003, Windows Server 2003 R2,	
	and the second se	Windows Server 2008, Windows Server 2008 R2,	
		Windows Server 2012, Windows Server 2012 R2	
	Adobe PostScript 3	Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1	
		Windows Server 2003, Windows Server 2003 R2, Windows Server	
	200.000	2008, Windows Server 2008 R2, Windows Server 2012,	
	and the second s	Windows Server 2012 R2, Mac OS X 10.5.8 and later	
JFR II	Windows XP Window	s Vista, Windows 7, Windows 8, Windows 8.1, Windows Server 2003,	
UINI		3 R2, Windows Server 2008, Windows Server 2008 R2,	
		2, Windows Server 2008, Windows Server 2008 R2, 2, Windows Server 2012 R2, Mac OS X 10.5.8 and later	
Mac PPD		., WINGOWS JCIVELZUTZ NZ, PIGE US A TU.S.O dHU Idlei	
	Mac OS X 10.5 - 10.9		
Network Protocol	ICP/IP (LPD/Raw/IPP	/IPPS/FTP/WSD/SMB), IPv6, AppleTalk	
Send Specifications			
Scan Speed (A4, 300 dpi)			
Scan Resolution		150 dpi, 200 x 100 dpi, 200 x 200 dpi, 200 x 400 dpi, 300 x 300 dpi	
	400 x 400 dpi, 600 x 600 dpi		
Destinations	Email / Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV		
	LDAP, Local (Max. 1800)		
	TIFF, JPEG, PDF, XPS, F	ligh Compression PDF/XPS, PDF/A-1b, Optimize PDF for Web	
File Format			
File Format Optional Accessories			
Address Book File Format Optional Accessories Universal Send Advan	ced Feature Set		
File Format Optional Accessories Universal Send Advan		Smooth), Searchable PDF/XPS, Reader Extensions PDF,	
File Format Optional Accessories	Outline PDF (Trace & S		
File Format Optional Accessories Universal Send Advan File Format	Outline PDF (Trace & S Office Open XML for V	Smooth), Searchable PDF/XPS, Reader Extensions PDF, Vords and PowerPoint	
File Format Optional Accessories Universal Send Advan	Outline PDF (Trace & S Office Open XML for V	Vords and PowerPoint	



GM



To arrange for a demonstration, simply contact any of our offices below.

CANON

TONER,

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan: Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Olla-e-Fatehullah, Kabul, Afghanistan Tel: 33-700 228 832 / 33-700 979 511 Fax: 93-202 201 259 Email: info@megaplus.com.af

Bangladesh: Flora Limited Adamjee Court Annex-2 (4* Floor) 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 Fax: 880-2-955-0030 www.floralimited.com

Brunei: Interhouse Company No. 5-7 Bunut Jaya Complex Sog 574 Jalan Tutong BF1320 PO. Box 423, Seri Complex Bandar Sen Begawan BA 1779 Brunei Darussalam Tel: 673-2-653-001 Fax: 673-2-653-003

Cambodia: Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

Hong Kong: Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax 852-2369-3800 www.canon.com.hk India

India: Canon India Private Limited 7th Floor, Tower B, Building #5 DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002 Haryana, India Tel: 91-124-416 0001 Fax: 91-124-416 0011 www.canon.co.in

Indonesia: Indonesia: PT Samafitro Jalan Ir. H Juanda No.8 Jakarta 10120, Indonesia Tel: 62-21-345 8989 Fax: 62-21-345 6699 www.samafitro.co.id

Malaysia: Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square Saujana Resort Section U2, 40150 Shah Alam Selangon Darul Bhan, Malaysia Tel: 60-3-7844 6200 / 7845 0055 Fax 60-3-7844 6196 / 6198 www.canon.com.my

Maldives: Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 Fax: 960-333 4424

Myanmar: Myanmar Golden Rock International Co., Ltd No. 79-D, Bo Chein Street, Pyay Road, 6 1/2 Mile, Hlaing Township, Yangon, Myanmar Tel: 95-1-654810 to 19 (10 Lines), 95-1-654844 to 18 (5 Lines) Fax: 95-1-654820 Email: sales@mgr.com.mm

Nepal: International Electronics Concern (P) Ltd Kha 14, 1⁴ Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: 977-1-442 1991 Fax: 977-1-442 1909

Pakistan: Shirazi Trading Company (Pvt.) Ltd 8^a Floor, Adamjee House I.I. Chundrigar Road Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) Fas: 92-21-13241 7747), (3242 0417) or (3242 0418) www.shirazirading com pk www.shirazitrading.com.pk

Philippines: Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave., McKinley Hill Fort Bonifacio. Taguig City Tel: 632-884-9000 Fax: 632-556-1456 www.canon.com.ph

Sri Lanka: Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08 Sri Lanka Tel: 94-11-470 0200 Fax: 94-11-470 0267 www.metropolitan.lk

Taiwan: Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +886 2-6632-6888 Fax:+886-2-6632-6700 www.canon.com.tw

Thailand: Canon Marketing (Thailand) Co. Ltd No.98 Sathorn Square Office Tower, 22^{ad} - 24^{ah} floor, North Sathorn Road, Silom, Bangrak, Bangkok 10500 Tel: 66-2-344 99500 www.canon.co.th

Vietnam: Canon Marketing (Vietnam) Co. Ltd Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: 84-8-3820 0467 Fax: 84-8-3820 0477 www.canon.com.vn

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.

uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.

0191W676 © 2015 Canon Singapore Pte. Ltd. All rights reserved. Printed in Singapore.

Managed Document Services

To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.

Duplex Automatic Doc		
Туре	Automatic Document Feeder	
Size of Originals	A3, B4, A4R, A4, B5R, B5, A5R, A5, B6	
Max. Number of Originals		
Paper Weight	1-Sided Scanning: 42 to 128 gsm 2-Sided Scanning: 50 to 128 gsm	
Scanning Speed (Max.)	Copying: 1-sided scanning: 30 sheets/minute (A4 in Black-and-White / Full Colour at 600 x 600 dpi	
	Scanning: 1-sided scanning: 55 sheets/minute (A4 in Black-and-White / Full Colour at 300 x 300 dpi)	
Dimensions (H x W x D)	139 mm x 565 mm x 525 mm	
Weight	Approximately 8.1 kg	
Cassette Feeding Unit		
Paper Sizes	A3, B4, A4, A4R, B5, B5R, A5R, FLS, F4A and Custom size (139.7 x 182 mm to 304.8 x 457.2 mm)	
Paper Capacity	550 sheets x 2 cassettes (80 gsm)	
Power Source	From main unit	
Dimensions (H x W x D)	248 mm x 565 mm x 615 mm	
Weight	Approx. 16.1 kg	
Inner Finisher - G1		
Number of Tray	2 Trays	
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5R, FLS, and Custom Size (98.4 x 139.7 mm to 320 x 457.2 mm)	
Upper Tray Capacity	No finishing set, Collate, and Group mode	A4: 100 sheets (or 10.4 mm in height)
Lower Tray Capacity	No finishing set, Collate, Group,	A4: 500 sheets (or 52 mm in height)
	Collate + Offset, and Group + Offset mode	A3, A4R: 250 sheets (or 26 mm in height)
	Staple Mode	A4: 30 sets (or 52 mm in height)
	Stapic Hode	A3, A4R: 30 sets (or 26 mm in height)
Max. Stapling Capacity/	Corner	A4: 50 sheets (80 gsm)
Available Staple Size	Comer	
Available Staple Size	Ctaple Free	A3, A4R: 30 sheets (80 gsm) All sizes: 5 sheets (80 gsm)
	Staple-Free	
	Staple On-demand	All sizes: 50 sheets (80 gsm)
Paper Weight	52 to 256 gsm	
Dimensions (H x W x D)	188 mm x 604 mm x 525 mm (when the extension tray is extended)	
Weight	Approximately 7.2 kg	
Installation Space Including the Main Unit (W x D)	697 mm x 693 mm (when the DADF-AQ1 is attached and the multi-purpose tray is extended)	
Staple Finisher - U1/Bo	ooklet Finisher - U1	
Number of Output Tray	2 Trays	
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5R, FLS, F4A and Custom Size (98.4 x 139.7 mm to 320 x 457.2 mm)	
Paper Weight	52 to 256 gsm	
Capacity Per Tray	No finishing set,	A4: 1,000 sheets (or 147 mm in height)
capacity i ci may	Collate, and	305 mm x 457 mm, 320 mm x 450 mm (SRA3), A3, A4R:
	Group mode	500 sheets (or 73.5 mm in height)
	Collate, Group Mode	A4: 1,000 sheets (or 147 mm in height)
		A3 and A4R: 500 sheets (or 73.5 mm in height)
	Staple Mode	A4: 50 sets (or 147 mm in height)
	Supremoue	A3 and A4R: 50 sets (or 73.5 mm in height)
Staple Capacity	A4: 50 sheets (80 asr	n) / A3, A4R: 30 sheets (80 qsm)
Staple Position	Staple Finisher	Corner, Double
Stapie i osition	Booklet Finisher	Corner, Double, Saddle Stitch
Saddle Stitch (For Booklet		comer, bouble, saddle siten
Finisher-U1 only)	16 sheets (80 gsm) / 10 sheets (80 gsm)	
Dimensions (H x W x D)		1 mm x 662 mm x 646 mm (when the extension tray is extended)
		071 mm x 771 mm x 657 mm (when the extension tray is extended)
Weight	Approximately 40.5 kg	
Other Optional Access		y
Platen Cover Type U, Fl Cas Copy Tray-J2, Inner 2 Way ATCH-B4, Super G3 Fax Bd Direct Print (XPS)-H1, Barcc Universal Send Digital User Document Scan Lock Kit-B	sette-AX1, Fl Cassette- Tray-J1, Reader Heater -AR1, Fax BD (2 Line) de Print Kit-D1, Univers Signature Kit-C1, Web 1, Encrypted Printing S	AY1, 3 Way Unit-D1, Staple CRG-I1, Staple CRG-D2, Staple-P1, Unit-L1 230V, Utility Tray-A2, Copy Card Reader-F1, Copy Card Reader AR1, PCL Printer Kit-BB1, PS Printer Kit-BB1, Direct Print (PDF)-H1, al Send Advanced Feature Set-D1, Universal Send Security Feature Set-D1, Access Software-H1, Removable HDD Kit-AK1, Secure Watermark-B1, oftware-D1, Access Management System Kit-B1, USB Device Port-E4, V Series Pedestal C, NPC-67 Toner K/C/MV, NPC-67 Drum Unit



